We need your support for Success of our Mission."

Thank You...

Aarotax pharmaceuticals pvt Ltd.



Add.: Block no. 270/A, Navapura, Sarkhej-Tal.: Sanand, changodar road, Ahmedabad-382213 E-Mail.: arotexpharma@gmail.com





For Superior Efficacy in IBS, Travellers Diarrhoea and Hepatic Encephalopathy

R

Rifaximin 200mg/400mg/550mg Tablets Tablets

The Power To Perform

- Oral antimicrobial, has many advantages because it is selective intestine, has minimal adverse effects*
- Significantly prolongs the time to the first breakthrough HE episode*
- Significantly protects against travelers diarrhoea by 48-72%*

INDICATED IN


- IBS with Diarrhea
- Travelers' Diarrhea

www.science.gov/topicpages/x/xifaxan+rifaximin+tab

Hepatic Encephalopathy

DOSE:

IBS-D: 550 mg TID for 14 days
Traveler's diarrhea: 200 mg TID for 3 day
Hepatic encephalopathy:
Reduction of Risk of Recurrence: 550 mg BID
Treatment: 200–400 mg TID for 7–21 days



Offer Dual Action for Better Management

Offer

Olatex-0Z

Ofloxacin 200mg + Ornidazole 500mg Tablets

Tablets.

DUAL ACTION FOR BETTER MANAGEMENT

- Effectively covers aerobes, anaerobes, atypical bacteria and protozoa
- Rapidly improves clinical condition
- Higher efficacy as compared to metronidazole
- Highly effective in Giardiasis

INDICATED IN

Infectious Diarrhoea and Dysentery

- Amoebiasis
- Giardiasis

DOSE

Adults: 1 Tab. BID

Also Available: Olatex-IV Ofloxacin 50mg + Metronidazole 120mg Susp. per 5ml Suspension

Also Available:

Olatex
Ofloxacin 200mg Tablets

Tab./Susp.

Ofloxacin 50mg per 5ml Suspension



Offer Strong Action

Offer

Texcef

Cefixime 100mg Dispersible Tablets Cefixime 200mg Tablets Cefixime 50mg per 5ml Dry Syrup Cefixime 100mg per 5ml Dry Syrup Tab.
Dry Syp.

STRONG ACTION AGAINST PATHOGENS

- Effective and well tolerated treatment for acute otitis media in children
- Drug of choice in typhoid fever
- Offers most satisfactory results in upper & Lower respiratory tract infections

INDICATED IN

- Otitis Media
- Typhoid Fever
- **RTIs**

DOSE


Adults: 200mg BID Children: 4 mg/kg BID

Also Available:

Texcef-O

Dry Syp.

Cefixime 50mg + Ofloxacin 50mg in each 5ml Dry Syrup



Ceftriaxone Injection

Cehoose

250
500
1000

Injection

Significantly better than 10-day oral amoxicillin for treatment of acute otitis media¹

IN SURGICAL PROPHYLAXIS

Texcef-5
375
1500

Ceftriaxone + Sulbactam Injection Injection

Superior to other antibiotics in preventing postoperative infections²


AGAINST BETA-LACTAMASE PRODUCING PATHOGENS

Texcef-TZ 1125

Ceftriaxone + Tazobactam Injection

Injection

95% of Ceftriaxone resistant strains are susceptible to the combination¹



Offer

JYOMOX-CV

375/625 Tablets
228.5 Dry Syrup
457 Forte Dry Syp
1200 Injection

Amoxicillin 250mg + Clavulanic Acid 125mg Tablets | Amoxicillin 500mg + Clavulanic Acid 125mg Tablets Amoxicillin 200mg + Clavulanic Acid 28.5mg per 5ml | Amoxicillin 400mg + Clavulanic Acid 47mg per 5ml Amoxicillin 1000mg + Clavulanic Acid 200mg Injection

Powerful against resistant pathogens

Enhances the Spectrum and Efficacy

- Offers good activity against beta-lactamases responsible for drug resistance¹
- Offers 97% efficacy in chronic bronchitis as compared to 68% of Azithromycin²
- Offers 90% success rates in Respiratory tract infection and Acute otitis media³

INDICATED IN

- **Sinusitis**
- **Tonsillitis**
- **Pharyngitis**
- Acute Otitis Media

DOSE

Adults: 500mg BID/TID Children: 15mg/kg BID



In communityacquired infections





MATCH WINNER MACROLIDE

- Broad-spectrum macrolide antibiotic with a long half-life and excellent tissue penetration*
- Offers significant improvement in the treatment of community-acquired infections
- Less frequent GI side effects as compared to amoxy-clav
- Convenient OD dosage, Better Compliance


INDICATED IN

- Community acquired infections
- Pharyngitis
- Tonsillitis
- Acute Otitis Media

DOSE

Adults: 500mg OD Children: 10mg/kg OD

*Aust Prescr. 2015 Jun; 38(3): 87-89



Globally Recommended Drug




THE POWERFUL ANTIBIOTIC

NICE UK Guidelines - For pneumonia in adults with COVID-19

- Posseses well defined antibacterial effects
- One of the empirical choices of oral antibiotics
- ▶ Potential partner of COVID-19 therapies*
 Has antiviral & anti-inflammatory activity by dampening the cytokine storm and to prevent lung damage

- ▶ Mild-Moderate Pneumonia
- Chronic Bronchitis
- Acute Otitis Media
- UTI, GI, Typhoid





Offer

Arojostos.

Cefpodoxime 200mg + Clavulanic acid 125mg Tablets
Cefpodoxime 50mg + Clavulanic acid 31.25mg in each 5ml Dry Syrup

The Spectra-wide 3GC

ESBL Positive Strains	Sensitivity ¹	
	Arojoy-CV	Amoxy-Clav
S. aureus	92%	84%
S. pneumoniae	100%	83%
Enterococci	100%	71%
B. catarrhalis	100%	100%
E. coli	75 %	50%
H. influenzae	100%	71%

- More potent as compared to Co-amoxyclav against beta-lactamase producing strains¹
- Recommended in UTIs caused by ESBL producing E. coli²

INDICATED IN


- Resistant RTIs
- Acute Otitis Media
- **UTIs**

DOSE

Adults:1 Tab. BID Children: 5mg/kg BID



1. J Indian Med Assoc. 2008 Aug;106(8):545-8 | 2. J Antimicrob Chemother 2010; 65 Suppl 3: iii25–33 | ESBL: Extended Spectrum Beta Lactamases UTI: Urinary Tract Infection | RTI: Respiratory Tract Infection



With

CEFUDEC 500 Tab. 250 Tab.

Cefuroxime 250/500mg Tablets


Ensures Complete Cure

- Broad spectrum antibacterial agent*
- ▶ Effective and well tolerated treatment in patients with otitis media, pharyngitis, sinusitis, CAP and acute exacerbations of chronic bronchitis*
- Convenient twice-daily administration, Better patient compliance.

- Respiratory Tract Infections
- Urinary Tract Infections
- Skin-Soft Tissue Infections
- Surgical prophylaxis







To Clear Worm Infestation

R



Armed to Kill Worms

- Provides broad range of coverage on single & mixed worm infestations
- Acts on all the stages of worm life cycle
- WHO recommended treatment for complete eradication of worms
- Single dose anthelmintic for the whole family

INDICATED IN

- **▶** Threadworm
- Pinworm
- Hookworm
- Whipworm
- Roundworm

DOSE

Single dose for whole family



THE LIFE SAVING ANTIBIOTIC

- Drug of choice for first line treatment in Children with severe IAI¹
- Reliable therapy for complicated, noncomplicated, community or hospital-acquired UTI²
- Drug of choice in MDR, HAP and VAP³

INDICATED IN

- Chloroquine resistant malaria
- Complicated falciparum malaria
- MDR Malaria
- P. vivax Malaria
- Cerebral Malaria

DOSE

4.5 g IV every 6-8hours

In critical situations Meropenem 1gm Injection In critical situations In critical situations In critical situations In critical situations

THE RIGHT CHOICE ANTIBIOTIC

- 92% clinical response in patients with Septicaemia¹
- Recommended in the treatment of meningitis by P. aeruginosa in which other treatments have failed²
- ▶ Greater efficacy than ceftazidime in febrile neutropenia⁴

INDICATED IN

- ▶ Lower RTI
- Meningitis
- ▶ Intraabdominal infections
- ▶ ICU infections
- Septicemia
- Febrile neutropenia

DOSE

0.5-1gm every 8 hours



POTENT POWER AGAINST MALARIA

- Highly effective against the blood schizonts of both malarial parasites
- Useful in multi-drug resistant stains of falciparum malaria
- Complete parasite clearance from the peripheral blood in 80% of the patients at 48 hrs and in 98% at 72 hrs¹
- Rapidly recovery from complications²

INDICATED IN

- Chloroquine resistant malaria
- Complicated falciparum malaria
- MDR Malaria
- P. vivax Malaria
- Cerebral Malaria

DOSE

Adults: 150mg / arteether, daily for 3 consecutive days Children: 3mg / arteether/kg body weight daily for 3 consecutive days



THE WINNER SCHIZONTICIDE

- Effective in both P. falciparum and P. Vivax malaria
- Significantly superior to chloroquine, pyrimethamine/sulfadoxine combination
- Minimizes rick of development of resistance
- First line therapy for Malaria in adults and children

INDICATED IN

- Chloroquine resistant malaria
- P. falciparum & P. Vivax malaria
- Cerebral Malaria

DOSE

Adults & Children: 2.4 mg/kg IV x4 doses over 3 days

When joint pain restricts mobility

Piroxicam 20mg Injection Injection

RESTORES MOBILITY

- ▶ Potent and effective anti-inflammatory agent Better tolerated than aspirin and indomethacin
- Possesses long half life which permits single daily dosage
- Offers safety & faster pain relief in Osteoarthritis and Rheumatoid Arthritis

INDICATED IN

- Osteoarthritis
- Rheumatoid Arthritis
- Gouty Arthritis
- Ankylosing Spondylitis

DOSE

20 mg once a day

Strong Candidate to Achieve Tough Target



TOUGH ON TOUGH TARGET


- Potent synthetic corticosteroid agent with marked anti-inflammatory action
- Reduces swelling, redness, itching & allergic reactions
- first-line therapy option in adults with moderately severe seasonal allergic rhinitis
- Significantly lowers pain scores in arthroscopic knee surgery²

INDICATED IN

- Allergic Disease
- Arthritis
- Other Connective Tissue Disorders
- Psoriasis
- Allergic Rhinitis

DOSE

Smaller joints: 2.5 to 5 mg (up to 10 mg)
Larger joints: 5 to 15 mg (up to 40 mg)





THE PREFERRED PARTNER

- Pregabalin is UDFDA approved drug of choice in neuropathy¹
- Methylcobalamin is trusted drug for regeneration of damaged nerves²
- Combination of Pregabalin and
 Methylcobalamin is rated as good to excellent
 by >95% of patients³
- Significantly improves quality of life

- Diabetic Neuropathy
- **▶** Alcoholic Neuropathy
- Neurological disorders





Relieve Pain...
Rejuvenate Nerve with

Arometh-L

L-Methyl Folate 1mg + Methylcobalamin 1500mg + Biotin 5mg + Pyridoxal-5 Phosphate 2mg

Tablets

THE NERVE REJUVENATOR

- L-Methyl Folate & Pyridoxal-5-Phosphate are the active form of Folic acid and Pyridoxine respectively
- Combination significantly improves total symptom score in patients with neuropathy
- **Biotin:** Enhances neuro-sensitivity in patients

- Diabetic Neuropathy
- Alcoholic Neuropathy
- Neurological disorders
















Gabapentin 400mg + Nortriptyline 10mg Tablets

Tablets

THE COMBO POWER

More efficacious than either drug given alone for neuropathic pain¹

Gabapentin:

- ▶ US approved drug of choice in neuropathic pain²
- Reduces pain intensity by 50%, improves sleep interference, fatigue & depression³

Nortriptyline:

More effective and better tolerated than Amitriptyline⁴

- Diabetic Neuropathy
- Postherpetic Neuralgia
- Fibromyalgia
- Neurological Disorders





When Spasticity Restricts Routine

TALPID

Tolperisone 150mg + Diclofenac 50mg Tablets

Tablets

Restores Normalcy in Life

Tolperisone:

- Mediates muscle relaxation without concomitant sedation or withdrawal phenomenon¹
- Offers greater improvement in activities of daily living compared to Baclofen²
- Rated as good to excellent by 94% of the patients with painful muscle spasms³

Diclofenac:


Trusted anti-inflammatory agent

INDICATED IN

- Muscle Spasms
- Cervicobrachial myofascial pain syndrome
- Post-stroke spasticity
- Back pain
- Multiple sclerosis



1 Tab. OD/BID



When vertigo hampers mood and stability of your patients



- Histamine H1-agonist, causes local vasodilation and permeability*
- Histamine H₃ antagonist, increases serotonin that inhibits activity of vestibular nuclei and helps to restore proper balance*
- Improves microcirculation in labyrinth which reduces endolymphatic pressure*
- Offers rapid and complete absorption with plasma half life 3-4 hours

INDICATED IN

- Vertigo
- Balance disorder
- Meniere's disease
- Dizzy spells

DOSE

Dose: 1 Tab. TID

*www.drugbank.ca/drugs/DB06698



When Vertigo & Reflux Co-exists

Cinnarizine 20mg + Domperidone 10mg Tablets Tablets

For Sure Shot Relief

Cinnarizine:


- Inhibits H, receptor pathway from inner ear to cerebelum and treats nausea and vomiting
- Quickly prevents motion sickness by depressing vestibular excitation

Domperidone:

- ▶ An ideal gastrokinetic & anti-emetic agent
- Superior to metoclopramide, does not cross Blood Brain Barrier

- Migraine
- Vertigo
- Motion Sickness
- Vestibular Disorders





Bring Back The Mobility

Arocan-XPS

Aceclofenac 100mg + Paracetamol 325mg + Serratiopeptidase 15mg Tablets

Tablets

BRINGS BACK THE MOBILITY

Serratiopeptidase:

Proteolytic enzyme, Clears cell debris and promotes healing¹

Aceclofenac:

Anti-inflammatory and analgesic drug with preferential COX-2 inhibition, results into less GI irritation²

Paracetamol:

Time tested 1st line analgesic

INDICATED IN

- Fracture and dislocation
- Sports injuries
- Postoperative edema
- Dental extraction

DOSE

Adults: 1 Tab. BID Post Meal











Restore the flexibility of Bone




ADVANCED FORMULA FOR ACTIVE LIFE

- Collagen Peptides: Synthesizes new tendon fiber extracellular tissue maintains healthy tendons
- ▶ Chondroitin Sulphate: Provide tensile strength and elasticity to the healthy tendons
- > Sodium Hyaluronate: Promotes free glide of tendons over the bones while healing
- Vitamin C: Helps in new blood vessel formation

Indicated In

- Achilles Tendonitis
- Plantar Tendonitis
- Peroneal Tendonitis
- Rotar Cuff Strains

DOSE
Adults: 1 Tab. OD/BID



With Best Players



Best players against muscle spasms

Chlorzoxazone:

Time tested, US FDA approved muscle relaxant drug¹

Diclofenac Potassium:

Offers faster dissolution as compared to sodium salt, hence offers faster onset of action²

Paracetamol:

Safe and effective analgesic and antipyretric³

INDICATED IN

- Low Back Pain
- Muscle Spasms
- Sprains, Strains



Adults: 1 Tab. BID



Offer quick relief with

SAMDIC

Diclofenac 75mg Injection



Control Pain, Inflammation and Injury



With 3 Way Action



3 Way Action In Inflammation

Serratiopeptidase:

Proteolytic enzyme, Clears cell debris and promotes healing¹

Diclofenac Potassium:

Significant reduction in pain and Inflammation as compared to Etoricoxib and Ibuprofen²

Paracetamol:

Safe and effective analgesic and antipyretric³

INDICATED IN


- Fracture and dislocation
- Sports injuries
- Postoperative edema
- Dental extraction

DOSE

Adults: 1 Tab. BID Post Meal



Get Well Soon in Pain & Fever



With

WELL-P

Nimesulide 100mg + Paracetamol 325mg Tablets

Tablets

RELIEVES PAIN & FEVER

Nimesulide:

- COX-2 selective, non-steroidal antiinflammatory drug with analgesic and antipyretic properties
- ▶ Offers favourable gastric safety profile as compared to other NSAIDs¹

Paracetamol:

▶ Safe and effective analgesic and antipyretric²

INDICATED IN

- ▶ Fever
- Dental pain
- Dysmenorrhoea
- Sports injuries

DOSE

Adults: 1 Tab. BID





STRONGER... SUPERIOR... SAFER

Compared to traditional NSAIDs:

- Selective COX-2 inhibitor, lesser side effects¹
- Significant improvement in pain, physical functioning & quality of life¹
- Convenient once daily dose, better patient compliance


INDICATED IN

- ▶ Rheumatoid arthritis
- Osteoarthritis
- **Gouty arthritis**
- **Spondylitis**

DOSE

Adults: 1 Tab. OD







Deflazacort 6mg Tablets

Tablets

THE RIGHT CHOICE

- Shows pronounced anti-inflammatory and immunosuppressive action
- Better potency as compared to other steroids
- Superior safety profile ensures better and long term use
- > Improves pulmonary function in asthma

- Rheumatoid arthritis
- Severe Asthma
- Ulcerative colitis
- Autoimmune hepatitis
- Dermatitis
- Leukemia





For Faster
Wound Healing
Choose Trio Power

Choose

TRIPCIA-BR

Trypsin 48mg + Bromelain 90mg + Rutoside Trihydrate BP 100mg Tablets

Tablets

The Trio Power in Wound Healing

Trypsin-Bromelain-Rutoside


- Offers excellent proteolytic activity along with anti-inflammatory action
- Breaks down the cellular debris and other plasma proteins at the site of infection
- Dissolves blood clots, promotes penetration of antibiotics
- ► Speeds up recovery time by 50%¹

INDICATED IN

- **▶** Post surgical inflammation
- Sports injury
- Oedema
- Tooth Extractions

DOSE

30 Minutes before or 2 hrs after meals





Paracetamol 650mg Tablets
Paracetamol 250mg per 5ml suspension

INSTANT RELIEF IN PYREXIA

- WHO recommended essential drug for fever
- Reduces fever by affecting an area of the brain that regulates our body temperature
- Relieves pain by inhibiting prostaglandin synthesis
- Safe and effective for use to all age groups

INDICATED IN FEVER ASSOCIATED WITH

- Vaccination
- Flu
- Typhoid
- Infections



Adults: 1 Tab. TID/QID Children: 10-15mg/kg TID/QID





Migraine precipitates Excruciatingly



R



Relief Beyond Belief

Paracetamol:

- Acts by inhibiting the enzyme cyclo-oxygenase and has a high affinity for COX-2
- Has an onset of analgesia time of around 11 minutes

Metoclopramide:

- Shortens the duration of migraine attack and may help reduce headache and associated symptoms
- Reduces the pain intensity and nausea

INDICATED IN

- Migraine
- Headache associated with Nausea

DOSE

As directed by physician



ROHISPAS-D

Drotaverine 80mg + Mefenamic acid 250mg Tablets

Tablets

BRING BACK SMILES

Drotaverine:


- Provides direct, specific & fast action on smooth muscles
- Provides effective pain relief in colic pain with no side effects

Mefenamic acid:

Decreases inflammation and uterine contraction by inhibition of prostaglandin synthesis

- Dysmenorrhoea
- Postoperative pain
- Smooth muscle spasm
- ▶ PID





ATROL-DT

Ketorolac 10mg Tablets

RELIEVES PAIN & INFLAMMATION

- immediately before periodontal surgery was effective for alleviating the operative painful sequelae
- Dispersible tablets, improves the dissolution rate and absorption rate of Ketorolac²
- Effective and safe in the treatment of moderate to severe orthopaedic post-operative pain³

INDICATED IN

Short-term (≤5 days) management of moderately severe acute pain DOSE

Adults: 1 Tab. TID/QID





BRINGS BACK JOY OF LIFE


- Positive influence on Calcium Metabolism
- Minimizes the nitrogen loss after major surgery and trauma
- Used for anabolic properties in postmenopausal osteoporosis
- Reduces blood urea and decreases nitrogen load on kidney

INDICATED IN

- Chronic/Debilitating Illness
- Osteoporosis
- ▶ Anaemia of Renal Disease
- Vital aid in Cancer& TB Therapy

DOSE

Women: 50 -100mg per week Men: 100-200mg per week





Natural Progesterone 100/200mg Capsules

NATURAL COMPANION IN GESTATION

Natural Progesterone:

- 100% efficacy to progesterone receptors
- Prevents recurrent miscarriage by immunomodulation
- Achieves luteal phase progesterone levels, improves fertility outcome
- Prevents preterm birth by relaxing the uterine contraction
- No androgenic or teratogenic effects

- Luteal phase deficiency
- Premenstrual syndrome
- Management of DUB
- Preterm labour
- Amenorrhoea





In Patient with Menstrual Ireggularities

Norethisterone 5mg Tablets Tablets

Bring Back Joy of Life

- Synthetic hormone similar to the naturally occuring sex hormone progesterone
- Inhibits ovulation effectively
- Brings secretory changes on endometrium
- Provide optimum bleeding control & endometrial protection


INDICATION & DOSE

Primary & Secondary Amenorrhoea: 5-20mg/day from 5th day of cycle to 25th day

Dysfunctional Uterine Bleeding: 10-15 mg for 10 days from 19th to 26th day of cycle

Endometriosis: 10-25 mg per day for 6-9months, beginning on day 5th of cycle

To Delay Menstrual Cycle: 15mg daily from 20th day of cycle till required





FOR HAPPY MORNINGS

Doxylamine + Pyridoxine:

- US FDA approved Category-A drugs
- Recommended as 1st line treatment of Nausea and Vomiting during pregnancy

Doxylamine:

> Anti-nauseant and Anti-emetic activity

Pyridoxine:

Time tested and Trusted analgesic

INDICATED IN

- Nausea
- **Vomiting**
- Morning Sickness

DOSE

Adults: 1 Tab. BID



For adequate growth & good outcome




L-arginine 3gm + Zinc + Folic acid + DHA

HEALTHY MOTHER... HEALTHY FOETUS

- DHA: Promotes development of brain, heart and vision in foetus
- L-arginine: Improves birth weight, muscle mass & decreases neonatal morbidity
- Improves umbilical artery flow, promotes intrauterine growth
- Produces vasodilation & inhibition of platelet aggregation, reduces pre-eclampsia
- Prevents preterm births and NTD
- Improves volume of amniotic fluid allowing fetal lung maturation
- Promotes production of Nitric oxide, benefits Penile erection

- Pregnancy,
- Lactation
- Pre-eclampsia
- Oligohydramnios
- **IUGR**
- ▶ Erectile Dysfunction



Offer

Isoren-SR


Isoxsuprine 40mg Sustained Release Tablets

Tablets

SMOOTH MUSCLE RELAXANT OF CHOICE

- Beta-adrenergic agonist, causes direct relaxation of uterine and vascular smooth muscle¹
- Reduces the frequency of contraction and lengthens the interval time of contraction
- Effectively prolongs pregnancy in 55% of women at risk of abortion and 82% of women at risk of premature delivery²

- Preterm Labour
- Threatened Abortion
- Preeclampsia




Flavoxate 200mg Tablets Tablets

Restores activity, improves quality of life

- Category B drug, safe in pregnancy
- Approved by US FDA to treat over active bladder²
- Increases bladder volume at 1st urge sensation by 36%³
- Offers stable or decreased residual urine volume in 86% patients³

- Urinary Incontinence
- Overactive Bladder
- UTI







IDEAL COMPANION OF WOMANHOOD

- > Safe and nonhormonal uterine tonic
- Corrects and regulates various uterine functions
- Regulates menstrual cycle, Prevents excessive discharge
- > Improves hematological profile
- Relieves stress and mood swings

- Menorrhagia
- Leucorrhoea
- Irregular menstrual cycle
- **DUB**
- Better ovarian function



A Single Remedy for Multiple Benefits





FOR MAGICAL BENEFITS


- Essential source of Omega-6-fatty acids, which are essential for cell structure
- Offers significant benefits in breast pain, menopausal and premenstrual symptoms, cervical ripening and labor induction'
- ▶ Helps to regulate hormones, improves nerve functions
- ▶ Significantly beneficial in arthritis, cramps and other inflammatory conditions¹

INDICATED IN

- Menstrual Disorders
- Eczema and other skin disorders
- > Immune Booster
- ▶ Rheumatoid arthritis

DOSE

1 Cap. OD/BID



R



Clotrimazole 20mg + Tinidazole 500mg + Miconazole 100mg Vaginal Tablets

Tablets

GIFTS PEACEFUL & HAPPY FEMININITY

Clotrimazole:

Broad spectrum of antimycotic activity, treats vaginal candida infections


Tinidazole:

Antitrichomonal agent effective against trichomonas vaginalis

Miconazole:

Antifungal agent, relieves associated itching and irritation

- Bacterial Vaginosis
- ▶ Trichomoniasis
- Candidiasis
- Vaginal discharge



Choose



THE LONG ACTING PPI COMBO

Pantoprazole

- Longer duration of action as compared to other PPIs, better relief¹
- Offers 88% healing rates in gastric ulcer at 4-weeks²

Domperidone:

- Increases LES tone, facilitates gastric emptying³
- Sustained release domperidone offers 24 hours relief

INDICATED IN


- GERD
- Esophagitis
- Dyspepsia
- Motility Disorders

DOSE

1 Cap. OD Before Meals









Rabeprazole 20mg + Domperidone 30mg Sustained release capsules **Capsules**

THE FAST ACTING PPI COMBO

Rabeprazole:

- Activates faster than other PPIs, results in rapid onset of action¹
- Relieves symptom in 86% of patients with erosive esophagitis at day-7²

Domperidone:

- Increases gastric motility and gastric emptying³
- Sustained release domperidone offers 24 hours relief

INDICATED IN

- GERD
- Esophagitis
- Dyspepsia
- Motility Disorders


DOSE

1 Cap. OD Before Meals











Omeprazole 20mg + Domperidone 10mg capsules

THE COOL COMBO

Omeprazole

- Selective and irreversible proton pump inhibitor
- Superior to conventional H2RAs in relieving symptoms

Domperidone:

- Anti-emetic, excellent prokinetic
- Increases LES tone, facilitates gastric emptying¹


INDICATED IN

- GERD
- Esophagitis
- Oyspepsia
- Motility Disorders

DOSE

1 Cap. OD Before Meals





When Acid Reflux Disturbs Life

ESOMCY-DSR

Esomeprazole 40mg + Domperidone 30mg (SR) Capsules

THE LONGEST ACTING PPI COMBO

Esomeprazole:

- Offers longest duration of acid regulation for 17 hours¹
- Effective in advantage than 94 % of GERD patients²
- Offers highest healing rate (95%) in erosive esophagitis³


Domperidone:

Drug of choice in diabetic gastroparesis³

INDICATED IN

- Nocturnal GERD
- Diabetic Gastric Dysfunction
- Co-Rx with NSAIDS

DOSE 1 Cap. OD



RD 4 Tab. Syrup Injection

Ondansetron 4mg mouth dissolving tablets Ondansetron 2mg per 5ml Syrup Ondansetron 4mg per 2ml injection

TRUSTED ANTI-EMETIC

- Potent and highly selective 5-HT3 receptor antagonist
- Superior than metoclopramide and other conventional therapies
- ldeal for both prophylactic and therapeutic use
- Well tolerated and safe

Indicated In Nausea and vomiting associated with

- Surgery
- Radiotherapy
- Chemotherapy
- Gastric Dysmotility
- GI Infections

Safe in infants & Children more than 1 month of age



Offer
Simple Stool Softener



Each 15ml contains Liquid Paraffin 3.75ml + Susp Milk of Magnesia 11.25ml + Sodium Picosulfate 3.33mg

SIMPLE STOOL SOFTENER

Recommended as 1st line therapy by American Gastroenterology Association to prevent straining¹

Liquid Paraffin:

Lubricates bowels, softens the stool

Milk of Magnesia:

Increases osmotic gradient in the gut, stimulates peristalsis

Sodium Picosulfate:

Acts as stimulant laxative

Indicated In constipation associated with

- Metabolic Disorders
- Gynecological Practice
- Poor Bowel Habits
- Elderly patients

DOSE

Adult: 7.5-15ml Children (5-12 yrs) : 5-10ml, (2-5 yrs): 2.5-5ml Dose best taken at bedtime preferably with water.







Offer

ULCREN



Each 10ml contains Sucralfate 1gm + Oxetacaine 20mg

Guards GI Mucosa, Promotes Healing

SUCRALFATE:

- Offers 82% healing rates in gastric ulcer
- Offers lower recurrence rate of duodenal ulceration after healing²
- Is useful in treatment of children with reflux esophagitis³

OXETACAINE:


 Offers potent local anaesthetic action in painful ulcers⁴

INDICATED IN

- Gastric and Duodenal Ulcers
- Esophagitis
- NSAIDS induced gastritis

DOSE

Starting Dose: 10ml QID Maintenance Dose: 10ml BID



Choose

Each 5ml contains Magaldrate 480mg + Syrup

Each 5ml contains Magaldrate 480mg + Simethicone 20mg + Oxetacaine 10mg

THE ACID NEUTRALIZER

Magaldrate:

 Provides sustained antacid effect with balanced effects on intestinal motility

Simethicone:

 Relieves flatulence and discomfort due to excess gas in intestine

Oxetacaine:

Anaesthetic drug, Relieves from severe pain

Indicated In epigastric pain associated with

- Acid peptic disorders
- Acid reflux
- Gastritis

DOSE

5-10ml to be taken4 times daily



In Antibiotic associated diarrhoea, Infectious diarrhoea



Promote Healthy
GI Flora



Pre & Probiotic capsules/Sachets

PROMOTE HEALTHY GI FLORA

- Produces bacteriocin that inhibits growth of pathogens*
- Stimulates mucosal barrier function and offers immunomodulation*
- Offers significant benefit in IBS, Antibiotic associated diarrhoea and Acute infectious diarrhoea*
- Prebiotic: provides nutrition to the good bacteria

INDICATED IN

- Antibiotic associated diarrhoea
- > Acute infectious diarrhoea
- > Irritable Bowel Disease
- Urogenital Infections

DOSE

Adults: 1 Cap. BID Children: 1 Sachet BID

*ISRN Nutr. 2013; 2013: 481651.

In Patients with Chronic Bronchitis

ARSONIDE-L

Budesonide 0.5mg + Levosalbutamol 1.25mg per 2ml

Respules

THE DUAL POWER BRONCHODILATOR

- Budesonide is potent, non-halogenated, corticosteroid
- Levosabutamol is selective beta2adrenergic bronchodilator
- Superior as compared to salbutamol and other agents
- ▶ Effectively controls and prevents symptoms like wheezing and shortness of breath

Indicated in

Bronchospasm associated with chronic obstructive pulmonary disease (COPD) in patients requiring more than one bronchodilator

DOSE	INITIAL DOSE	MAINTENANCE DOSE
Adults & Children > 12 years	1-2 mg twice daily	0.5-1 mg twice daily
Children (3 months to 12 years)	0.5-1 mg twice daily	0.25-0.5 mg twice daily



In the management of COPD, Bronchitis & Emphysema

ARSOMOL-III

Levosalbutamol 0.63mg + Ipratropium bromide 500mcg per 2.5ml **Respules**

THE POWERFUL COMBO

- **Levosabutamol** is selective beta2-adrenergic bronchodilator
- **Ipratropium** is anticholinergic bronchodilator
- Leads to more effective bronchodilation as compared to monotherapy
- Indicated in patients with COPD on a regular aerosol bronchodilator, who continue to have evidence of bronchospasm and who require second bronchodilator

Indicated in bronchospasm associated with


Asthma Chronic Bronchitis Emphysema

DOSE

Adults & Children >12 years: 1 Respule TID


Children <12 years:

There is no experience of the use of AROMOL-IT respules in children <12 years.






In Productive Cough



SAFE & EFFECTIVE BRONCHODILATOR

- Levosalbutamol: Pure & safe bronchodilator
- Ambroxol: breaks tough mucus
- Guaiphenesin: expectorant

In Dry Cough



SAFE & EFFECTIVE COUGH SUPPRESSANT

- Dextromethorphan: safe & effective cough suppressant
- Phenylephrine: Nasal decongestant
- > CPM: Trusted anti-histamine agent



R



SAY GOOD BYE TO COUGH

- Honey: Boosts immunity with soothing effect
- Tulsi: Helps to mobilize mucus in bronchitis andasthma
- Mulethi: Relieves respiratory ailments
- Banafsa: Reduces irritation of pharyngeal mucosa
- Pudina: Acts as local anaesthetic in cough

INDICATED IN

- Productive Cough
- Spasmodic Cough
- Non-Productive Cough
- Bronchitis

Non Alcoholic Non Sedative Safe for All Age Group

Trusted Combination to relieve cough & congestion



Brocydry

Diphenhydramine Hydrochloride 14.08mg + Ammonium chloride 138mg + Sodium citrate 57.03mg + Menthol 1.14mg per 5ml **Cough Syrup**

The Cough Reliever

Diphenhydramine:

Antihistamine, relieves the allergy

Ammonium chloride:

Offers expectoration due to its irritative action on the bronchial mucosa

Sodium citrate:

Increases bronchial secretion

Menthol:

Soothing agent, relieves irritation and provides cooling sensation

INDICATED IN


- Nasal Congestion
- Chest Congestion
- Sore throat
- **Cough**

DOSE

2-5 Years: 2.5ml, 6-12 Years: 5ml,

12 Years: 10ml every 4 Hours

In Common Cold & Fever





THE POWERFUL TRIO IN COMMON COLD

Chlorpheniramine:

Trusted anti-histamine agent, relieves allergy and associated symptoms

Phenylephrine:

Trusted nasal decongestant, relieves nasal congestion

Paracetamol:

Time tested anti-pyretic drug, relieves fever effectively

Also Availab

INDICATED IN

- Common Cold
- **RTIs**


DOSE

Adults: 1 Tab. TID
Children: 5ml BID/TID
Infants: 1ml BID/TID









Offer 24 Hour Relief



OFFER 24 HOUR RELIEF

- Significantly improves total nasal symptom score¹
- Significantly improved nasal symptoms during the first 24 hours²
- ▶ Better efficacy than Desloratadine and Rupatadine in Chronic Rhinitis patients³


- Allergic Rhinitis
- Asthma
- Bronchitis











Choose



Fexofenadine 120mg + Montelukast 10mg Tablets

SUPERIOR TO MONOTHERAPY


- More effective than antihistaminic alone in the control of AR symptoms¹
- Fexofenadine: selective histamine H₁ receptor antagonist, Rapid absorption leads to faster onset of action²
- Montelukast: leukotriene receptor antagonist, relieves symptoms of seasonal allergies

INDICATED IN

- Allergic Rhinitis
- Rhinorrhoea
- **Asthma**
- Wheezing
- Pruritus

DOSE

1 Tab. OD at night







A Must Rx for all age groups

Capsules Syrup Drops

Antioxidants, Multivitamins, Multiminerals

THE HEALTH BOOSTER

Antioxidants:

Scavenges free radicals, prevents premature ageing and tissue damage

Multivitamins:

- > Improves calcium absorption; makes strong bones
- Helps in metabolism of Carbohydrates, Fats and RBC production

Multiminerals:

- Boosts immunity, prevents frequent illness
- Promotes normal growth & development

INDICATED IN

- **Convalescence**
- Debility
- Growth & Development
- Metabolic disorders
- > Elderly population
- Poor food habits

DOSE

Adults: 1 Cap. OD, 10ml BID Children: 5ml BID (Syrup) Infants: 1ml BID (Drops)









Powerful Tonic for Healthy Life

ARQ-19

Coenzyme Q10 100mg + EPA 90mg + DHA 60mg + Capsules Lycopene (100%) 4000mcg + Selenium 70mcg

The Ultimate Health Formula

Coenzyme Q10:

- Promotes energy production and stamina in body
- Promotes sex drive and increases sperm count

EPA/DHA:

Regulates cholesterol level and reduces risk of heart disease


Lycopene, Selenium:

Offers powerful antioxidant action, prevents oxidative damage to the body

INDICATED IN

- Cardiovascular disease
- Diabetes
- Postoperative care
- Poor immunity
- Fatigue/Weakness

DOSEAdults: 1 Cap. Daily





FOR HEALTHY LIFE

Lycopene:

Protects against oxidative stress, prevents damage to body cells and tissues

Vitamins:

- Promotes healthy immune system
- Promotes healthy vision, blood and skin

Minerals:


- Promotes bone health
- Fights with free radicals

INDICATED IN

- Metabolic disorders
- Immunity booster
- Debility
- Weakness
- Infertility

DOSE

Adults: 1 Cap. OD, 10ml BID Children: 5ml BID





THE ULTIMATE GROWTH FORMULA IN CHILDREN

L-Lysine:

- Essential amino acid, building block of protein
- Promotes growth and development, Improves appetite

Vitamin B-complex:

- Improves calcium absorption; makes strong bones
- Helps in metabolism of Carbohydrates, Fats and RBC production

INDICATED IN

- Growth & development
- Proper metabolism
- Anorexia
- convalescence



DOSE

Children

<5 years: 2.5ml BID >5 years: 5ml BID



When disturbed digestion and flatulence worsens life



SIMPLIFIES DIGESTION


- Corrects digestion, relieves bloating and relieves colic
- Fungal Diastase: Helps in the digestion of the carbohydrates
- Pepsin: Helps in the digestion of Protein
- **Carminatives:** Relieves colic

INDICATED IN

- Indigestion
- **▶** Flatulence
- During Pregnancy
- Over eating
- Post-operative cases

DOSE

Adults: 1 Cap./10ml after meals Children: 5ml after meals (Syrup) Infants: 1ml BID (Drops)





THE APPETITE STIMULANT

Restores appetite, speeds recovery, protects liver

Cyproheptadine:

- Clinically used as an appetite stimulant
 Tricholine Citrate:
- Lipotropic agent, stimulates hepatobiliary flow **Sorbitol:**
- Normalizes peristalsis and evacuation

INDICATED IN


- ▶ Anorexia
- Loss of appetite
- Liver disease
- Convalescence
- > Stunted growth

Sugar Free

DOSE

Adults: 10ml BID
Children: 5ml BID (Syrup)
Infants: 1ml BID (Drops)

Balanced Nutritional Supplement for all **ages**



ANDRO Powder Proteins, Vitamins, Minerals Powder

AN EVERYDAY NUTRITIONAL SUPPLEMENT

Proteins:

- Provide structure and support for cells
- Promotes growth, development and tissue repair

Vitamins:

> Improves metabolism and overall health

Minerals:

- Essential co-factor for body functions
- prevents oxidative damage to body

INDICATED IN

- Growing Children
- Pregnancy, Lactation
- ▶ Elderly Population
- ▶ Convalescence
- Debility



Delicious

Mango

Flavour



In Osteoporosis





Calcium Citrate 1000mg + Magnesium Hydroxide 100mg **Tablets/Susp.** + Zinc Sulphate Monohydrate + Vitamin D3 Tablets Calcium + Magnesium + + Zinc + Vitamin D3 Suspension

ACTIVE CALCIUM FOR ACTIVE LIFE

Calcium:

- Maintains calcium homeostatis
- Helps in the formation of bone mass Vitamin D3:
- Enhances calcium absorption
- Helps in the bone mineralization Magnesium, Zinc:
- Essential for organic bone matrix synthesis
- Promotes faster healing of wound

INDICATED IN

- Osteoporosis
- Osteopenia
- Fractures
- Growth and development

Also Available SHRECAL FORTE

Natural milk calcium, Calcium carbonate, Calcium citrate, Vit. D3 Tablets

DOSE

Adults: 1 Tab. OD, 10ml BID Children: 5ml BID



Mega Power for Stronger Bones Shrecal-MP

Calcium Carbonate (Ele. Calcium 500mg) + Vit. D_3 2000 IU + Methylcobalamin 1500mcg + L-methylfolate 1mg + Pyridoxal-5-phosphate 20mg Tablets

MegaPower for Stronger Bones

Powerful combination improves nutrients for bone and reduces risk of fractures

Calcium & Vitamin D3:

Regulates calcium levels and helps to remineralization of bones

Pyridoxal-5-phosphate:

Plays crucial role in physiological development and function of CNS

L-Methylfolate & Methylcobalamin:

Effectively controls hyperhomocysteinemia induced complications

INDICATED IN

- Geriatric age
- Osteoporosis
- Osteopenia
- Pregnancy
- Lactaction

DOSE

1 Tab. Daily



ARCITROL

Calcitriol + Calcium Carbonate + Zinc Capsules

Capsules

FOR STRONG BONES

Calcitriol:

- Promotes intestinal absorption of Calcium and Phosphorous for stronger bones
- Reduces the risk of fractures

Calcium Carbonate:

- Rich source of natural calcium
- Increases health of bone & muscle

Zinc:


- Promotes faster healing of wound
- > Promotes function of calcium in the body

INDICATED IN

- Osteoporosis
- Pregnancy, Lactation
- ▶ Post-menopausal woman
- **Fractures**

DOSE

Adults: 1 Cap. OD



ARCITROL-M

Calcitriol 0.25mcg, Calcium Citrate Maleate 500mg, Zinc 7.5mg, Magnesium 30mg, Sod. Meta Borate 250mcg, Omega-3-fatty acids 150mg, Methylcobalamin 750mcg

Capsules

MORE THAN JUST CALCIUM

Calcitriol:

Promotes intestinal absorption of Calcium and Phosphorous for stronger bones

Calcium Citrate Maleate:

Increases health of bone, muscle, nervous system

Omega-3-fatty acids:

Increases bone formation, reduces bone loss

Magnesium, Zinc:

- Essential for organic bone matrix synthesis
- Promotes faster healing of wound

INDICATED IN

- Osteoporosis
- Pregnancy, Lactation
- Post-menopausal woman
- Fractures

DOSE
Adults: 1 Cap. 0D



Vit. D Deficiency is very common in today's lifestyle



Vitamin D3 60000 IU Softgels & Sachets

SUNSHINE FOR HEALTHY NATION

- Vit. D Deficiency leads to 60% higher risk of heart disease and Cognitive impairment in elderly²
- ▶ 60,000 IU of Vit. D per week for 4-8 weeks achieves Vit. D sufficiency in Indian adolescents¹
- Regular supplementation helps to prevent Osteomalacia & Osteoporosis³

INDICATED IN


- Osteoporosis
- Osteomalacia
- > Alzheimer's Disease

DOSE

Deficiency: 1 Cap./Week
Maintenance: 1 Cap./Month









Ayurvedic Iron tonic with added vitamins & Minerals

THE IRON WITH MULTIPLE ADVANTAGES

- Safer & Ideal Source of essentially pure iron, improves Hb levels
- Vitamins: Helps in RBC formation & maturation, improves metabolism
- Helps in healthy foetal development
- Minerals: Boosts immunity, reduces oxidative stress

- Pregnancy
- Lactation
- Iron Deficiency
- Anaemia Adolescent Girl



Add Iron at Both extremes of life





FOR SIGNIFICANT HB RISE

- Higher bioavailability as compared to conventional Ferrous sulfate, Ferrous fumarate and Ferric ammonium citrate
- Lesser GI Side effects, better compliance
- Reduces lethargy and frequent tiredness
- Improves cognitive function and intelligence among school going children

INDICATED IN


- Iron Deficiency Anaemia
- Pregnancy, Lactation
- Preterm & Low birth weight infants
- Growth & Development

DOSE

Adults: 1 Tab. OD, 10ml OD Children: 5ml OD (Syrup) Infants: 1ml OD (Drops)









THE ENERGY BOOSTER

Dextrose & Sucrose:

- Prevents hypoglycemia
- Acts as a rapid source of energy

Zinc:


- Essential for healthy growth and immunity
- Promotes quick healing

Vit. C (Ascorbic acid):

- Strong antioxidant, Helps to fight against stress
- Cofactor in collagen synthesis

For instant benefit in exhaustion and weakness

Energetic, Delicious, Yummy Energy Booster





FILLS THE FRESHNESS

- Potent antibacterial agent that inhibits the formation of dental plaque
- Reduces gingival inflammation and bleeding
- Treats oral thrush & infected mouth ulcers
- Maintains oral hygiene

INDICATED IN

- Gingivitis
- Candida Infections
- Dental Caries
- Denture Stomatitis

DOSE

Twice a day after brushing teeth. Take 20ml solution, rinse mouth for 30 seconds and spit out.

In Dental Sensitivity & Caries





THE DENTAL FRESHNER

- Potassium ion in the paste moves into the holes in dentin to calm the nerves
- Helps to reform protective layer over the exposed dentin
- Useful against hot and cold dental sensitivity
- Protects & strengthens tooth enamel from bacteria that causes dental caries

- Dental Sensitivity
- Dental Caries



For complete eradication of **fungal infections**





FREEDOM FROM FUNGAL INFECTIONS

- Broad spectrum of action
- Efficacious against aspergillosis, histoplasmosis, candidiasis and fungal infection of toe, nails and onychomycosis
- Efficacious and well tolerated as compared to fluconazole
- Safe empiric antifungal therapy

- Aspergillosis
- Histoplasmosis
- Candidiasis
- Onychomycosis
- Tinea Pedis/Corporis







PROTECTS AND REJUVENATES SKIN

Lanolin:

 Moisturizer to treat or prevent dry, rough, scaly, itchy skin and minor skin irritations

Glycerin:

 protect sensitive skin, relieve symptoms of acne, prevent premature aging, and soothes inflammatory skin conditions


Vitamin E:

Antioxidant, encourages healing of skin

INDICATED IN

- Acne
- Dry/Rough Skin
- Scars
- Maintenance of Healthy Skin

Gentle Skin Softener




Aroket Plus Ketoconazole + Zinc Pyrithione Shampoo Shampoo

FOR HEALTHY SKIN & HAIR

- Broad spectrum antifungal agent
- Nourishes the scalp and improves the pH balance of the hair
- Reduces inflammation associated with dandruff
- Recommended for limp and split hairs
- Zinc Pyrithione bacteriostatic and fungistatic agent

- ▶ Dandruff
- Seborrheic
 Dermatitis
- Pityriasis VersicolorInfection







HEALTHY SKIN EVERYDAY

Vitamin E:

Natural anti-oxidant, benefits in premature ageing

Aloe Vera:

- Helps to reduce wrinkles & dark spots, prevents acne
- Weals dry skin and protects from sun induced skin damage

Jojoba:

- Natural moisturizer
- Reloads the lost natural oil of skin and rejuvenates skin

Indicated for soft and smooth skin, Also in

- Acne
- Pruritis
- **Q** Eczema



Beclomethasone 0.025% + Neomycin 0.5% + Clotrimazole % Cream

ALL IN ONE FORMULA

Beclomethasone:

- Potent steroid with lesser side effects
- Offers anti-inflammatory action

Neomycin:

Offers antibacterial action

Clotrimazole:

Offers antifungal action, effective in Tinea infections

INDICATED IN

- **Eczema**
- Dermatitis
- Tinea infections
- Psoriasis

Also Available Beclotex-G Clotrimazole Dusting Powder

Ofloxacin 0.75%, Ornidazole 2%, Itraconazole 1%, Clobetasol 0.05%

FOR A HEALTHY SKIN

Clobetasol:

- ▶ Potent steroid with lesser side effects
- Offers anti-inflammatory action

Ofloxacin - Ornidazole:

Offers strong action against Gm +ve and Gm -ve bacteria and protozoa

Itraconazole:

Offers antifungal action, effective in Tinea infections

INDICATED IN

- Eczema
- Dermatitis
- ▶ Tinea infections
- Psoriasis

Non sticking Non Staining



A TIME TESTED GERMICIDAL

- ▶ Broad spectrum antimicrobial agent
- Active against spore forming bacteria, fungi, viruses, protozoa and yeast
- Active in all conditions at any pH and also in presence of blood, pus and serum
- Non-irritating, nontoxic and offers prolonged germicidal action

INDICATED IN

- **Cuts**
- ▶ Wounds
- > Skin Ulcers
- ▶ Impetigo
- Tinea infections







A NOVEL APPROACH

- Luliconazole is an imidazole antifungal agent
- ▶ Offers more potent antifungal activity as compared to Sertaconazole and Itraconazole
- Approved by US FDA in treatment of Tinea infections
- Lower MIC than Terbinafine

- ▶ Athlet's Foot
- Ringworm
- Jock Itch



KNOCKS OUT FUNGAL INFECTIONS

- Fungicidal against dermatophytes, moulds and certain dimorphic fungi
- Drug of choice for treating dermatophytes
- Better tolerated with lower potential of drug interactions
- More efficacious than Griseofulvin in treating
 Tinea infections

INDICATED IN

- Onychomycosis
- Tinea cruris
- Tinea corporis
- Tinea versicolor
- Candida vaginitis

DOSE

1 Tab. OD



PREVENTS BOUNCING BACK OF INFECTIONS

- * Broad spectrum antifungal agent
- * Attains high & persistent concentration in skin & nails
- ** Reduces severity of pruritus, erythema, burning & pain
- * Least chance of relapse
- * Convenient dosage, better compliance

INDICATED IN

- * Tinea cruris
- Tinea corporis
- * Tinea versicolor
- Candida vaginitis
- Onychomycosis

Good bye to recurrent infections

Knock out Bacterial Skin Infections



AROBACT

Mupirocin 2% w/w in Ointment

Ointment

Knock Out Skin Infections


- 97% cure rate in primary and secondary skin infection compared to 87% of Fusidic acid¹
- Active against wide range of Gram-positive bacteria, including MRSA²
- US approved drug in treatment of impetigo³

INDICATED IN

- Bacterial Skin Infections
- Sutured Wound Infections
- Impetigo

DOSE

Apply thrice/day for up to 14 days



In Pruritic Conditions

AROZINE-25

Hydroxyzine 25mg Tablets

Tablets

Soothes & eases skin trouble

- Commonly used to treat pruritic skin lesions
- ▶ Effective in controlling the symptoms of patients with chronic pruritus
- Offers better results than cetirizine in relieving symptoms of chronic pruritus
- First generation antihistamine agent

- Pruritus
- Allergic Dermatitis
- Urticaria
- Contact Dermatitis
- Atopic Dermatitis



In Thrombocytopenia





THE PLATELET BOOSTER


- Natural, documented and scientifically proven drug
- Increases platelet levels as early as 24 hr with a significant increase in the total WBC and neutrophil counts as well'
- > Improves digestion, boosts immune system
- > Prevents complications of thrombocytopenia

INDICATED IN

- Dengue
- Malaria
- Viral infections
- Aplastic anaemia
- Chemotherapy/Drug induced thrombocytopenia

DOSE

1 Tab. TID for 5days





EAT ANYTHING, DIGEST EVERYTHING

- ▶ Helps to absorb food better
- > Stimulates appetite, improves health
- > Stimulates bile flow, gastric juices
- Helps to absorb food better
- Strengthens digestive system naturally
- > Ensures overall digestion
- Removes flatulence and colic
- > Well tolerated and safe for long term use

- Indigestion
- **▶** GERD
- Loss of appetite
- > Flatulence
- Dyspepsia



In Cholestatic Liver Disease



Offer Long Life to Liver and Gall Bladder

Offer TTEPACEC Tablets

Ursodeoxycholic acid 300mg Tablets

LONG LIFE TO LIVER & GALLBLADDER

- Stimulates impaired biliary secretion and reduces pruritus, fatigue, anorexia and jaundice²
- PBC' Approved by US FD/2 for treatment of
- Facilitates deliveries at term³ and found effective in 86% ICP patients⁴

INDICATED IN

- **Cholestatic Liver Disease**
- **Gallstones**
- Primary Biliary Cirrhosis
- Intrahepatic Cholestasis of Pregnancy

DOSE

Adults: 10-15mg/kg/day in divided doses

In Liver Diseases





THE TRUSTED HEPATOPROTECTOR

- Silymarin has established efficacy in the restoration of liver function and regeneration of liver cells'
- Offers antioxidant action, prevents oxidative damage to liver
- Improves fat metabolism, helps in digestive and biliary complaints
- Safe & Well tolerated to all age groups

INDICATED IN

- Jaundice
- Hepatitis
- Fatty liver disease
- Drug induced liver damage


DOSE

Adults: 10ml BID/TID Children: 5ml BID





1. Indian J Med Research, Nov 2006



MADHUCAP

Herbal Capsules for Diabetics

Capsules

THE NATURAL DIABETIC AID

- Helps to lower blood sugar level naturally
- Reduces serum cholesterol and low density lipoproteins
- Lowers stress, fatigue and general weakness
- Prevents long term complications of diabetes
- > Stimulates insulin secretion

- Diabetes Mellitus
- Hyperglycaemia
- Weakness due to Diabetes
- Glucosuria





ARSHICA **Capsules**

Herbal Capsules for Piles

CURES PILES FROM ROOT

- Prevents innate bleeding and related congestion
- Prevents anorectal itching, burning and infection
- Provides fissure healing, anti-inflammatory and anti-bacterial effect
- Leads to shrinkage of piles mass
- Offers laxative effect, helps to get rid of constipation habit

- Bleeding and nonbleeding piles
- Haemorrhoids





For Fresh Mornings in Constipation

R

Powder

Isabgol husk 2g, Sonmukhi 0.75g, Harad 0.50g, Amaltas 0.5g, Mulethi 0.25g, Gulab dal 0.25g, Saunf 0.25g, Saunf taila 0.05g, Candy leaf 2mg per 5gm

The Natural Bowel Regulator

- Forms mucilaginous mass which increases the volume of faeces and hence promotes peristalsis
- Stimulates secretion of enzymes
- Non habit forming natural laxative
- Reduces LDL cholesterol levels and increases **HDL** cholesterol
- Relieves digestive discomfort in patients
- Relieves Constipation


Controls Cholesterol

Controls Weight

Controls Diarrhoea

DOSE

5gm to be taken immediately after mixing in 150 ml of water or fruit juice once daily





THE NATURAL PAIN KILLER

- Improves blood supply to joints
- Prevents degradation of glycosaminoglycans
- Protects joints and other tissue from further damage
- Relieves pain and inflammation
- Local application for specific action
- Safe for long term use

INDICATED IN

- All types of Arthritis
- Back pain
- Muscle stiffness
- Sports injuries

Naturel & Safe

DOSE

Apply 4-5 drops on the effected area and massage gently





FOR QUICK ACTION AND RELIEF

- Makes a thin, invisible and protective barrier over the ulcer
- Relieves pain and fights infection
- Provides rapid numbing and cool soothing effect
- Decreases the inflammation and swelling around the mouth ulcer
- Speeds healing of ulcer

INDICATED IN

- Ulcers on inner lips
- Ulcers on tongue
- Ulcers on palate
- Ulcers on inner side of cheek
- Ulcers on gums
- Pain due to dentures

DOSE

Apply gently on the effected area 3-4 Times a day



In Burning Micturition

Disodium Hydrogen Citrate 1200mg per 5ml Syrup

THE TRUSTED ALKALIZER


- Prevents Urinary hyperacidity, pain and burning
- Allows free flow of urine & helps washing out infections
- Reduces chance of stone formation
- Normalizes the frequency of micturition
- An ideal adjuvant in UTI

INDICATED IN

- Burning Micturition
- Recurrent UTI
- Prevention of kidney stones
- Cystitis
- Urethritis

DOSE

10ml BID/TID with plenty of water





PEACE OF MIND ALWAYS


- A new class of benzodiazepines superior to Diazepam and other anxiolytics
- Offers rapid onset of therapeutic action
- US FDA for anxiety disorder and panic disorders
- As effectively as tricyclic antidepressants²

INDICATED IN

- Major depressive disorders
- Anxiety disorders

DOSE

0.25 to 0.5 mg orally administered 2-3 times a day



Escitalopram 10mg + Clonazepam 0.5mg Tablets Tablets

Escalates Happiness With Confidence

- Preferred combination for comorbid depression and anxiety¹
- Prolonged mood lightening effect due to long half life
- Clonazepam is ideal in mania and obsessive compulsive disorders
- Has beneficial effects on glycaemic control in diabetic patients²


INDICATED IN

DOSE

1 Tab. OD

- Depression
- Anxiety disorders
- Obsessive compulsive disorders
- Panic disorders

1. Medical practice and review vol.1(2). Pp16-18 | 2. Asian J Psychiatr 2013;6(5): 364-8



RIGHT CHOICE IN DRY EYES

CMC 0.5 %

- Lubricates & Relieves Dry Eyes.
- Protects from Burning & Irritation from extended exposure to sun & wind
- Releases Oxygen & water to aid eye functioning

Indicated in Dry Eyes Due to

- ▲ Aqueous Tear Deficiency (ATD)
- ▲ Evaporative Tear Deficiency (ETD)

DOSE

One to two drops in affected eye three times a day



RIGHT CHOICE IN EYE INFECTIONS

- Potent antibiotic with low MIC value and Broad spectrum coverage
- Penetrates ocular tissues two to three fold than other fluoroquinolones
- Provides effective eradication of major causative pathogens of bacterial conjunctivitis

INDICATED IN

- Bacterial Conjunctivitis
- Keratitis
- Corneal Ulcers
- Blepharitis

DOSE

One to two drops in affected eye three times a day for 7 days



The Perfect choice in EAR DISCOMFORT

R

Benzocaine 2.7%. Chlorbutol 5.0%.

Benzocaine 2.7%, Chlorbutol 5.0%, Turpentine Oil 15.0%, Para Dichlorobenzene 2.0%

THE COMPLETE SOLUTION

Benzocaine:

Widely used topical anaesthetic, Reduces pain

Turpentine oil:

Strong solvent and helps removes wax effectively

Chlorbutol:

Performs dual role - preservative & antimicrobial

▶ Paradichlorobenzene:

Solvent- Helps to disperse and clear ear wax

INDICATED IN

- **▶** Ear Discomfort
- Prior to ear surgery
- **Ear Examination**
- **Ear Infections**

DOSE

1-2 Drops in each ear as required